



	3/20	3/25	3/30	3/35	3/40	3/45	3/50	3/55	3/60	3/65	3/70	3/75	3/80
VEK Drainage channel													
7 PVC sieve (D110)	pc.	1	1	1	1	1	1	1	1	1	1	1	1
6 Outlet sewer (D110, PVC)	pc.	1	1	1	1	1	1	1	1	1	1	1	1
5 Galvanized grating cover 120 KN 300x1000 mm	pcs.	2	2	3	3	4	5	5	6	6	7	7	8
300x500 mm	pc.				1	1	1	1	1	1	1	1	
4 Cap nut (M8)	pcs.	12	18	22	24	28	32	34	38	42	44	48	50
3 Galvanized starter bars (M8)	pcs.	12	18	22	24	28	32	34	38	42	44	48	50
2 Frame	pc.	1	1	1	1	1	1	1	1	1	1	1	1
1 Material: Reinforced plastic pH 3-10/Heat resistance 50°C	pc.	1	1	1	1	1	1	1	1	1	1	1	1
C Height	mm	530	505	480	455	430	405	380	355	330	305	280	250
B Total length	mm	2026	2530	3030	3534	4034	4538	5038	5542	6042	6546	7046	7550
Weight with covers	kg	90	115	135	160	180	205	230	250	275	300	355	380
CHOOSE	(X)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Note! It is advisable to keep the covers in place while laying the concrete.

NOTE! If you make any changes on the drawing, mark (X) in the square. Changes made on the drawing:

This drawing and the technical information included in the drawing are property of Wavin-Labko. All the national regulations concerning this product have to be checked before purchase of the product. Installation have to be done according to installation manual.

Approved by customer: / . 200 .



Product:	Title:			Drawing type			
Design by:	VEK 3/20...3/80 DRAINAGE CHANNEL			CUSTOMER DRAWING			
JP/JS	Checked by:	Approved by:	Drawing no.	Date:	Scale:		
	JP	JP 12.02.09	19AB01_e	12.02.09			
WAVIN-LABKO			Construction site:				
Labkote 1							
FIN-36240 KANGASALA							
FINLAND							
Tel. +358-(0)20-1285 200							
Fax +358-(0)20-1285 280							
www.wavin-labko.fi							